



LY?MANUFACTURING CO.,LTD.



NSK 6000DDU deep groove ball bearings

Bearing No. 6000DDU

6000DDU Bearing 2D drawings and 3D CAD models

Size	10x26x8 mm
Bore Diameter	10 mm
Outer Diameter	26 mm
Width	8 mm
d	10 mm
D	26 mm
B	8 mm
C	8 mm
r min.	0,3 mm
da min.	12 mm
da max	13 mm
Da max.	24 mm
ra max.	0,3 mm
Weight	0,018 Kg
Basic dynamic load rating (C)	4,55 kN
Basic static load rating (C0)	1,97 kN
(Grease) Lubrication Speed	22 000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.019
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling	No



LY?MANUFACTURING CO.,LTD.

Slot	
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	10MM Bore; 26MM Outside Diameter; 8MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; C
Other Features	Deep Groove Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.nskamericas.com
Manufacturer Item Number	6000DDU
Weight / LBS	0.0397
Outer Race Width	0.315 Inch 8 Millimeter
Outside Diameter	1.024 Inch 26 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	0.394 Inch 10 Millimeter
SRI	2.46
hidYobi	6000DDU
LangID	1
D_	26



LY?MANUFACTURING CO.,LTD.

SREX	0.015
B_	8
da min	12
hidTable	ecat_NSRDGB
SRE	2.67
mass	0.018
GRS rpm	22000
ra	0.3
SRIX	0.015
D_a	24
SRIN	-0.015
C0	1.97
fo	12.4
SREN	-0.015
DE_	22.762
Prod_Type3	DGBB_SR_DD
DA_	4.762
bomp	0
Z_	7
yobi	6000DDU
C_conv	4550
ALPHA_	0
SDM_	18
r	0.3
KBRG	6161
SBRG	10
DI_	13.238